B
Candidate Core Competencies¹

Candidate	D		Condi	tion(s)					
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use				
Screening/Identification (SI)									
SI.1	Peer/service user	✓	✓	✓	✓				
Demonstrates awareness				e.g., evidence of burns	e.g., signs of alcohol				
of common signs and					dependence				
symptoms	Community health	✓	✓	✓	✓				
	care worker/health								
	extension worker								
	Pharmacist	✓	✓	✓	✓				
					ability to identify				
					problematic behavior				
					related to alcohol use				
	Social worker	✓	✓	✓	✓				
	Occupational	✓	✓	✓	✓				
	therapist		psychosis symptoms and		e.g., signs of alcohol				
			functionality in an		dependence				
			occupational therapeutic						
			setting						
	Clinical/health officer	✓	✓	✓	✓				

¹This table presents candidate core competencies discussed by one or more workshop participants. During the workshop, all participants engaged in active discussions of candidate competencies. In some cases, participants expressed differing opinions about whether a particular competency could be useful and included in the list. However, since this is a summary of workshop comments and not meant to provide consensus recommendations, workshop rapporteurs endeavored to include all candidate core competencies discussed by workshop participants across providers and disorders. This table and its content should be attributed to the rapporteurs of this summary as informed by the workshop.

Candidate	Provider Types		Condi	tion(s)	
Core Competency		Depression	Psychosis	Epilepsy	Alcohol Use
SI.1 Demonstrates awareness of common signs and symptoms	Nurse	identification of depression syndrome	with or without screening tools (e.g., psychosis questionnaire, Community Assessment of Psychic Experience (CAPE)); includes identification of syndromes for psychosis	includes understanding of common types of epilepsy; detection of patients with epilepsy in the community	includes identifying patients who are medically compromised because of alcohol use, correctly identifying various stages for different interventions
	Medical doctor/general practitioner	active case finding in patients with high-risk conditions	with or without screening tools (e.g., psychosis questionnaire, CAPE)	includes understanding of common types of epilepsy; detection of patients with epilepsy in the community	includes identifying patients who are medically compromised because of alcohol use, correctly identifying various stages for different interventions
	Psychiatric nurse	includes identification of depression syndrome	includes identification of syndromes for psychosis	~	includes identifying patients who are medically compromised because of alcohol use, correctly identifying various stages for different interventions
	Psychologist	~	with or without screening tools (e.g., psychosis questionnaire, CAPE)	includes knowledge of seizure types	includes identifying patients who are medically compromised because of alcohol use, correctly identifying various stages for different interventions

Candidate	Duaridan Trusas		Condi	ition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.1 Demonstrates awareness of common signs and symptoms	Neurologist	✓	with or without screening tools (e.g., psychosis questionnaire, CAPE)	includes understanding of common types of epilepsy, detection of patients with epilepsy in the community	includes identifying patients who are medically compromised because of alcohol use, correctly identifying various stages for different interventions
	Psychiatrist	active case finding in patients with high-risk conditions	with or without screening tools (e.g., psychosis questionnaire, CAPE)	includes understanding of common types of epilepsy, detection of patients with epilepsy in the community, identifying physical features that might indicate an underlying condition other than epilepsy (e.g., skin lesions, deformities)	includes identifying patients who are medically compromised because of alcohol use, correctly identifying various stages for different interventions
SI.2	Peer/service user	✓	✓	✓	✓
Recognizes the potential for risk to self and others	Community health care worker/health extension worker	√	~	~	√
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational therapist	√	√	√	√
	Clinical/health officer	✓ e.g., suicidal ideation	e.g., homicidal ideation, suicidal ideation; includes assessment of level of severity	✓	includes identifying alcohol- related complications, comorbid conditions, related emergencies

Candidate	Provider Types	Condition(s)			
Core Competency	riovider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.2 Recognizes the potential for risk to self and others	Nurse	~	e.g., homicidal ideation, suicidal ideation; includes assessment of level of severity	√	✓
	Medical doctor/general practitioner	~	e.g., homicidal ideation, suicidal ideation; includes assessment of level of severity	~	✓
	Psychiatric nurse	✓	√	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	√	✓	✓
	Psychiatrist	✓	√	✓	✓
SI.3	Peer/service user	✓	✓	✓	✓
Demonstrates basic knowledge of causes	Community health care worker/health extension worker	√	√	✓	✓
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational therapist	√	√	√	√
	Clinical/health officer	✓	√	√	√
	Nurse	✓	√	✓	✓
	Medical doctor/general practitioner	√	~	✓	√

Candidate	Dusaidan Tanas		Conc	lition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.3	Psychiatric Nurse	✓	✓	✓	✓
Demonstrates basic	Psychologist	✓	✓	✓	✓
knowledge of causes	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.4	Peer/service user	✓	✓	✓	✓
Provides the patient and	Community health	✓	✓	✓	✓
community with	care worker/health				
awareness and/or	extension worker				
education	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.5	Peer/service user	✓	✓	✓	✓
Demonstrates cultural	Community health	✓	✓	✓	✓
competence	care worker/health				
	extension worker				
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓

Candidate	Provider Types	Condition(s)			
Core Competency		Depression	Psychosis	Epilepsy	Alcohol Use
SI.5 Demonstrates cultural	Occupational therapist	√	V	✓	√
competence	Clinical/health officer	√	√	✓	√
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.6	Peer/service user	✓	✓	✓	✓
Demonstrates knowledge of other mental, neurological, and	Community health care worker/health extension worker	√	\	V	√
substance use (MNS)	Pharmacist	✓	✓	✓	✓
disorders	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	√	✓	√
	Clinical/health officer	✓	√	✓	√
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	√	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.7	Peer/service user	✓			
Demonstrates the ability	Community health	✓	✓	✓	✓
to screen for and use	care worker/health				
screening tools	extension worker				
	Pharmacist				
	Social worker	✓	✓		✓
	Occupational	✓	✓		✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
		includes screening for	includes screening for		screening for alcohol use
		other MNS disorders and	other MNS disorders and		disorders
		for infectious and	for infectious and		
		noncommunicable diseases	noncommunicable diseases		
		that might complicate	that might complicate		
		treatment and care	treatment and care		
	Nurse	✓	✓	✓	✓
		includes screening for	includes screening for		for alcohol use disorder
		other MNS disorders and	other MNS disorders and		
		for infectious and	for infectious and		
		noncommunicable diseases	noncommunicable diseases		
		that might complicate	that might complicate		
		treatment and care	treatment and care		
	Medical	√	√	✓	✓
	doctor/general	includes screening for	includes screening for	includes screening for	for alcohol use disorder
	practitioner	other MNS disorders and	other MNS disorders and	other MNS disorders and	
		for infectious and	for infectious and	for infectious and	
		noncommunicable diseases	noncommunicable diseases	noncommunicable diseases	
		that might complicate	that might complicate	that might complicate	
		treatment and care	treatment and care, and for factors that maintain	treatment and care	
			psychosis		
			psychosis		

Candidate	D		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.7 Demonstrates the ability to screen for and use screening tools	Psychiatric nurse	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	✓	for alcohol use disorder
	Psychologist	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for cognitive deficits and developmental delay, screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	for alcohol use disorder
	Neurologist	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care, screening referred patients for identification/confirmation of epilepsy, and screening for and identifying neurological deficits that may be present in symptomatic epilepsy	for alcohol use disorder

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.7 Demonstrates the ability to screen for and use screening tools	Psychiatrist	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	includes screening for cognitive deficits and developmental delay, screening for other MNS disorders and for infectious and noncommunicable diseases that might complicate treatment and care	for alcohol use disorder
SI.8	Peer/service user				
Demonstrates knowledge and skills in taking patient history	Community health care worker/health extension worker	√	√	√	√
	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	✓	✓	~
	Clinical/health officer	✓	√	✓	✓
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	√	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.9	Peer/service user				
Demonstrates the ability to conduct a mental status exam	Community health care worker/health extension worker	✓	✓	√	√
	Pharmacist				,
	Social worker	✓			✓

Candidate	D 11 T		Cond	lition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.9	Occupational	✓		✓	
Demonstrates the ability	therapist				
to conduct a mental status exam	Clinical/health officer	√	√	√	✓
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	~	~
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	√	✓
	Neurologist	✓	✓	√	✓
	Psychiatrist	✓	✓	✓	✓
SI.10	Peer/service user				
Recognizes patients who are relapsing and require inpatient care	Community health care worker/health extension worker			✓	
	Pharmacist				
	Social worker			✓	✓
	Occupational therapist				√
	Clinical/health officer	✓	✓	√	√
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	~	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.11	Peer/service user				
Demonstrates knowledge and skills to assess patients and determine	Community health care worker/health extension worker				
level of care needed	Pharmacist				

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.11	Social worker	✓	✓	✓	✓
Demonstrates knowledge	Occupational	✓	✓	✓	√
and skills to assess	therapist				
patients and determine level of care needed	Clinical/health officer	√	✓	√	~
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	*	~
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓		✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.12	Peer/service user	✓	✓	✓	✓
Identifies cases during home visits	Community health care worker/health extension worker	✓	√	√	\
	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				

Candidate	D 11 75	Condition(s)				
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
SI.13	Peer/service user					
Demonstrates knowledge	Community health					
and skills to identify high-	care worker/health					
risk patients or treatment	extension worker					
complications (e.g.,	Pharmacist					
children, breastfeeding	Social worker					
women)	Occupational					
	therapist					
	Clinical/health officer	✓	✓	✓	✓	
	Nurse	\checkmark	✓	√	✓	
	Medical	✓	✓	✓	✓	
	doctor/general					
	practitioner					
	Psychiatric nurse	✓	✓	✓	✓	
	Psychologist					
	Neurologist	✓	✓	✓	✓	
	Psychiatrist	✓	✓	✓	✓	
SI.14	Peer/service user					
	Community health					
and skills to assess	care worker/health					
patients at risk of relapse	extension worker					
	Pharmacist					
	Social worker					
	Occupational					
	therapist					
	Clinical/health officer	✓	✓	√	√	
	Nurse					
	Medical	✓	✓	✓	✓	
	doctor/general					
	practitioner					
	Psychiatric nurse			✓		
	Psychologist				✓	
	Neurologist			✓		
	Psychiatrist	✓	✓	✓	✓	

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.15	Peer/service user				
Demonstrates knowledge	Community health				
and skills to conduct a	care worker/health				
physical exam	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist				
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
SI.16	Peer/service user				
Recognizes primary	Community health				
manifestations of other	care worker/health				
disorders (e.g.,	extension worker				
conversion disorder,	Pharmacist				
anxiety)	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	,			
	Neurologist	√	√	√	√
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 75		Cond	ition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.17	Peer/service user				
Recognizes comorbidities	Community health				
that cause secondary	care worker/health				
epilepsy	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer			√	
	Nurse			✓	
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse			✓	
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	
SI.18	Peer/service user				
Recognizes physical	Community health				
features that might	care worker/health				
indicate an underlying	extension worker				
condition other than	Pharmacist				
epilepsy (e.g., skin	Social worker				
lesions, deformities)	Occupational				
	therapist				
	Clinical/health officer			~	
	Nurse				
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist				

Candidate	D		Cond	lition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
SI.19	Peer/service user				
Recognizes serious	Community health				
neurological disorders	care worker/health				
that may be present with	extension worker				
seizures or epilepsy (e.g.,	Pharmacist				
central nervous system	Social worker				
infection, stroke, tumor)	Occupational				
	therapist				
	Clinical/health officer			✓	
	Nurse				
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	
		Formal Dia	gnosis/Referral (DR)		
DR.1	Peer/service user	✓	✓	✓	✓
Demonstrates knowledge		for diagnosis	for diagnosis	for diagnosis	for services for alcohol use disorder
of when to refer to next level of care/other	C : 1 1/1	√	<u> </u>	<u> </u>	disorder
provider/specialist	Community health care worker/health	v	V	· ·	•
provider/specialist	extension worker				
	Pharmacist	√	√	✓	✓
	Social worker	<u>√</u>	V ✓	▼	✓
	Occupational	<u> </u>	V ✓	· · · · · · · · · · · · · · · · · · ·	·
	therapist	•	,	,	,
	шстарізі		<u> </u>	<u> </u>	

Candidate	D		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.1 Demonstrates knowledge of when to refer to next level of care/other provider/specialist	Clinical/health officer	includes referring for behavioral problems to psychiatry if complex/treatment-refractory	✓	✓	includes referring for behavioral problems associated with alcohol dependence to appropriate provider
	Nurse	√ for diagnosis and specialized treatment plan	when to refer to specialist for diagnosis when complexity of condition/case requires; includes referring behavioral problems to psychiatry if complex/treatment-refractory	√	includes referring behavioral problems associated with alcohol dependenc to appropriate provider
	Medical doctor/general practitioner	√ for formal diagnosis and treatment plan	when to refer to specialist for diagnosis when complexity of condition/case requires; includes referring behavioral problems to psychiatry if complex/treatment- refractory	√	includes referring behavioral problems associated with alcohol dependence to appropriate provider
	Psychiatric nurse	referral to psychiatrist for specialized treatment plan; includes referring behavioral problems to psychiatry if complex/treatment-refractory	when to refer to specialist for diagnosis when complexity of condition/case requires; includes referring behavioral problems to psychiatry if complex/treatment- refractory	✓	includes referring behavioral problems associated with alcohol dependence to appropriate provider

Candidate	Duaridan Trusas		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.1 Demonstrates knowledge of when to refer to next level of care/other provider/specialist	Psychologist	referral to psychiatrist for specialized treatment plan; includes referring behavioral problems to psychiatry if complex/treatment-refractory	includes referring behavioral problems in complex cases	providing referral services to patients	includes referring behavioral problems associated with alcohol dependence to appropriate provider
	Neurologist	referral to psychiatrist for specialized treatment plan; includes referring behavioral problems to psychiatry if complex/treatment-refractory	referral to psychiatrist for specialized treatment plan; includes referring behavioral problems to psychiatry if complex/treatment-refractory	includes referring to other specialists for further treatment if appropriate; referring to psychiatrist for cognitive testing, management of pseudoseizures or severe psychiatric comorbidities	includes referring behavioral problems associated with alcohol dependence to appropriate provider
	Psychiatrist	referral to appropriate provider for diagnosis and specialized treatment plan	referral to other specialists, such as clinical psychologist, for evaluation, and treatment (including group and individual psychotherapy), social worker, occupational therapist	includes referral to other specialists for specialized treatment, referral of medically refractory cases and status epilepticus	√
DR.2	Peer/service user	✓	✓	✓	✓
Demonstrates knowledge of potential providers for specialized care within	Community health care worker/health extension worker	~	√	√	✓
the community	Pharmacist	✓	√	✓	√

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.2	Social worker	✓	✓	✓	✓
Demonstrates knowledge	Occupational	✓	✓	✓	✓
of potential providers for	therapist				
specialized care within the community	Clinical/health officer	✓	√	√	√
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	✓	√	√	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
DR.3	Peer/service user				
	Community health care worker/health extension worker	✓	√	√	√
and physical functioning	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational therapist	√	√	√	~
	Clinical/health worker	√	√	√	~
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.4	Peer/service user				
Demonstrates knowledge	Community health	✓	✓	✓	✓
of required information	care worker/health				
for effective referral	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	√	√	✓
	Nurse	✓	√	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
DR.5	Peer/service user				
Demonstrates skills in	Community health			✓	
using various assessment	care worker/health				
tools	extension worker				
	Pharmacist				
	Social worker				
	Occupational		✓	✓	
	therapist	,	,		
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	√	√	✓
	Medical	✓	✓	√	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.6	Peer/service user				
Demonstrates knowledge	Community health				
Č	care worker/health				
	extension worker				
related to condition	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist			✓	
	Psychiatrist	✓	✓	✓	✓
DR.7	Peer/service user				
	Community health				
•	care worker/health				
3 11 3	extension worker				
• • • •	Pharmacist				
, ,	Social worker				
	Occupational				
	therapist				
Disorders (DSM), International Statistical	Clinical/health officer	✓	✓	√	√
	Nurse	✓	✓	√	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	Duaridan Trusas		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.8	Peer/service user				
Demonstrates knowledge	Community health				
and skills to make a	care worker/health				
	extension worker				
formulation of differential	Pharmacist				
diagnosis	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
			e.g., distinguish delirium		diagnosing alcohol
			and/or seizure activity from		dependence and comorbid
			psychosis		disorders
	Medical	✓	✓	✓	✓
	doctor/general			includes exclusion of	diagnosing alcohol
	practitioner			conditions that may mimic	dependence and comorbid
				epilepsy (pseudoseizures)	disorders
	Psychiatric nurse	√	✓	√	✓
		includes diagnosis across			
		the life course			
	Psychologist	√	√ 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	✓	√
		includes diagnosis across	formulating differential	includes diagnosis of	includes diagnosis of
		the life course, diagnosis of	diagnosis in consultation	cognitive deficits and	alcohol dependence and
		depression syndrome,	with team (usually clinical	developmental delay and of	comorbid disorders
		comorbid mental disorders	psychologist)	psychopathology	

Candidate	Provider Types		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.8 Demonstrates knowledge and skills to make a formal diagnosis and formulation of differential diagnosis	Neurologist	includes ability to rule out depressive symptoms secondary to neurological condition or side effects of neurological medications, ability to diagnose other neurological comorbidities	includes ability to rule out psychotic symptoms secondary to neurological condition or side effects of neurological medications, ability to diagnose other neurological comorbidities; for differential diagnosis, especially ability to distinguish psychosis from epilepsy and delirium	includes ability to exclude conditions that may mimic epilepsy (pseudoseizures), to use information technology to improve diagnosis, and to diagnose patients with medically refractory epilepsy	includes diagnosis of alcohol dependence and comorbid disorders
	Psychiatrist	includes diagnosis across the life course, ability to distinguish unipolar and bipolar depression	includes independent diagnosis, even when not classic presentation, and across the life course	includes ability to exclude conditions that may mimic epilepsy (pseudoseizures), to use information technology to improve diagnosis, to diagnose patients with medically refractory epilepsy, and to diagnose psychiatric comorbidities	includes diagnosis of alcohol dependence and comorbid disorders
DR.9	Peer/service user				
Demonstrates ability to determine severity level	Community health care worker/health extension worker				
	Pharmacist				
	Social worker				
	Occupational therapist				

Candidate	D		Cond	lition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.9 Demonstrates ability to determine severity level	Clinical/health officer	√	√	√	mild, moderate, or severe alcohol dependence
	Nurse	√	✓	✓	✓
	Medical doctor/general practitioner	√	√	V	✓
	Psychiatric nurse	includes diagnosis of comorbid mental disorders	√	√	includes diagnosis of alcohol dependence and comorbid disorders
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
DR.10 Demonstrates ability to make a diagnosis according to an algorithm (not considered a clinical diagnosis)	Pharmacist				
ulagilosis)	Social worker Occupational therapist Clinical/health officer	√	✓	✓	✓
	Nurse	√	√	√	√
	Medical doctor/general practitioner	✓	✓	√	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.11	Peer/service user				
Demonstrates ability to	Community health				
interpret laboratory	care worker/health				
results	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
DR.12	Peer/service user				
Demonstrates knowledge	Community health			√	
about status epilepticus	care worker/health				
and other types of	extension worker				
seizures	Pharmacist				
	Social worker				
	Occupational			√	
	therapist				
	Clinical/health officer			✓	
	Nurse			✓	
	Medical			✓	
	doctor/general				
	practitioner				

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.12 Demonstrates knowledge	Psychiatric nurse			√	
about status epileptics	Psychologist			✓	
epilepticus and other types of seizures	Neurologist			√	
types of seizures	Psychiatrist			√	
DR.13	Peer/service user				
Demonstrates ability to	Community health				
diagnose alcohol use	care worker/health				
disorders and related	extension worker				
problems	Pharmacist				
	Social worker				✓
	Occupational				
	therapist				
	Clinical/health officer				√
	Nurse				✓
	Medical				✓
	doctor/general				
	practitioner				
	Psychiatric nurse				✓
	Psychologist				✓
	Neurologist				✓
	Psychiatrist				✓
DR.14	Peer/service user				
Demonstrates	Community health				
psychological interview	care worker/health				
skills	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				

Candidate	D		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.14	Nurse				
Demonstrates psychological interview skills	Medical doctor/general practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	√	√	√	✓
	Neurologist			✓	
	Psychiatrist	✓	✓	✓	✓
DR.15	Peer/service user				
Demonstrates ability to conduct a neuropsychiatric	Community health care worker/health extension worker				
evaluation	Pharmacist				
	Social worker				
	Occupational therapist				
	Clinical/health officer				
	Nurse				
	Medical doctor/general practitioner				
	Psychiatric nurse				
	Psychologist	√	√	√	√
	Neurologist			✓	
	Psychiatrist	✓	✓	✓	✓

Candidate	Duaridan Trusa		Cond	ition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.16	Peer/service user				
Demonstrates knowledge	Community health				
of indications when	care worker/health				
electroencephalogram	extension worker				
(EEG) and/or	Pharmacist				
neuroimaging is needed	Social worker				
for epilepsy	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	
DR.17	Peer/service user				
Demonstrates ability to	Community health				
interpret EEG and	care worker/health				
neuroimaging reports	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
DR.17	Medical			√	
Demonstrates ability to	doctor/general				
interpret EEG and	practitioner				
neuroimaging reports	Psychiatric Nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			√	
			ment/Care (TC)		
TC.1	Peer/service user	✓	✓	✓	✓
Provides support for	Community health	✓	✓	✓	✓
patients and families	care worker/health				including relapse
while in treatment and	extension worker				prevention
care	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
				increase capability to	
				manage stress and	
				functional impairment;	
				help patients in obtaining	
				medications	
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D		Cond	ition(s)	
Core Competency	Provider Types -	Depression	Psychosis	Epilepsy	Alcohol Use
TC.2	Peer/service user	✓	✓	✓	✓
Identifies and assists	Community health	✓	✓	✓	✓
patients and families in	care worker/health				
overcoming barriers to	extension worker				
successful treatment and	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
stigma, finances,	Occupational	✓	✓	✓	✓
accessibility, access to	therapist				
social support)	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.3	Peer/service user	✓	✓	✓	✓
Demonstrates ability to	Community health	✓	✓	✓	✓
monitor mental status	care worker/health				
	extension worker				
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	√	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 T		Cond	lition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.4	Peer/service user	✓	✓	✓	✓
Demonstrates knowledge	Community health	✓	✓	✓	✓
of how to offer	care worker/health				
emergency first aid	extension worker				
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	√	✓	✓	√
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.5	Peer/service user	✓	✓	√	✓
Initiates and/or	Community health	✓	✓	✓	✓
participates in community-					
based treatment, care,	extension worker				
and/or prevention	Pharmacist	✓	✓	✓	✓
programs	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	√	√	√	√
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	√	√	√	√
	Psychologist	✓	✓	✓	√
	Neurologist	√	√	✓	√
	Psychiatrist	✓	✓	✓	✓

Candidate			Con	dition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.6	Peer/service user	✓	✓	✓	✓
Demonstrates knowledge	Community health	✓	✓	✓	✓
of treatment and care	care worker/health				
resources in the	extension worker				
community	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	√	✓
TC.7	Peer/service user	✓	✓	✓	✓
Promotes mental health	Community health	✓	✓	✓	✓
	care worker/health				
impact of stigma and	extension worker				
discrimination)	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D	Condition(s)				
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.8	Peer/service user	✓	✓	√	✓	
Communicates to the	Community health	✓	✓	✓	✓	
public about MNS	care worker/health					
disorders	extension worker					
	Pharmacist	✓	✓	✓	✓	
	Social worker	✓	✓	✓	✓	
	Occupational	✓	✓	✓	✓	
	therapist					
	Clinical/health officer	✓	✓	✓	✓	
	Nurse	√	✓	√	✓	
	Medical	✓	✓	√	✓	
	doctor/general					
	practitioner					
	Psychiatric nurse	✓	√	✓	✓	
	Psychologist	✓	✓	✓	✓	
	Neurologist	✓	✓	✓	✓	
	Psychiatrist	✓	✓	✓	✓	
TC.9	Peer/service user	✓	✓	✓	✓	
Monitors for adherence to	Community health	✓	✓	✓	✓	
and/or side effects of	care worker/health					
medication	extension worker					
	Pharmacist	√	√	✓	✓	
		monitor only for side	monitor only for side	monitor only for side	monitor only for side	
		effects	effects	effects and drug	effects	
				interactions		
	Social worker	✓	✓	✓	✓	
				tracks patients who stop		
				treatment		
	Occupational	✓	✓	✓	✓	
	therapist					
	Clinical/health officer	✓	√	✓	✓	
	Nurse	√	 	√	✓	

Candidate	D		Cond	lition(s)	
Core Competency	Provider Types —	Depression	Psychosis	Epilepsy	Alcohol Use
and/or side effects of	Medical doctor/general practitioner	√	/	~	·
medication	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	√	✓
	Psychiatrist	✓	✓	✓	✓
TC.10	Peer/service user	✓	✓	✓	✓
	Community health care worker/health extension worker	√	√	\	√
relationship, attitude)	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational therapist	√	✓	√	✓
	Clinical/health officer	✓	√	√	✓
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	√	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.11	Peer/service user	✓	✓	✓	✓
Provides links between patients and community resources	Community health care worker/health extension worker	√	V	~	~
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	~	√	√

Candidate	D 11 T		Cond	ition(s)	
Core Competency	Provider Types -	Depression	Psychosis	Epilepsy	Alcohol Use
TC.11 Provides links between	Clinical/health officer	√	√	√	√
patients and community	Nurse	✓	✓	✓	✓
resources	Medical doctor/general practitioner	√	~	√	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.12	Peer/service user	✓	✓	✓	✓
Identifies available resources to support patients (e.g.,	Community health care worker/health extension worker	√	~	√	√
rehabilitation, medication	Pharmacist	✓	✓	✓	✓
supplies)	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	✓	✓	√
	Clinical/health officer	✓	✓	√	√
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	~	~	✓
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.13	Peer/service user	✓	✓	✓	✓
Promotes activities that aim to raise awareness and improve the uptake of		√	~	~	✓
interventions and the use	Pharmacist	✓	✓	✓	✓
of services	Social worker	✓	√	✓	✓

Candidate	D	Condition(s)			
Core Competency	Provider Types -	Depression	Psychosis	Epilepsy	Alcohol Use
TC.13 Promotes activities that	Occupational therapist	✓	~	✓	✓
aim to raise awareness and improve the uptake of	Clinical/health officer	✓	√	√	√
interventions and the use	Nurse	✓	✓	✓	✓
of services	Medical	✓	✓	✓	✓
	doctor/general practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	√	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	√	✓
TC.14	Peer/service user	✓	✓	√	✓
Protects patients and identifies vulnerabilities (e.g., human rights)	Community health care worker/health extension worker	√	✓	\	~
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	✓	√	√
	Clinical/health officer	✓	√	√	✓
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	√	√	V	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.15	Peer/service user	✓	✓	✓	✓
Demonstrates respect,	Community health	✓	✓	✓	✓
compassion, and responsiveness to patient	care worker/health extension worker				
r	Pharmacist	✓	✓	✓	√
	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	√	√	√
	Clinical/health officer	✓	√	√	√
	Nurse	✓	✓	✓	✓
	Medical doctor/general practitioner	✓	✓	✓	√
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.16	Peer/service user	✓	✓	√	✓
Demonstrates knowledge and skills to use information technology to	Community health care worker/health extension worker	✓	✓	✓	√
improve treatment and	Pharmacist	✓	✓	✓	✓
care	Social worker	✓	✓	✓	✓
	Occupational therapist	✓	✓	✓	√
	Clinical/health officer	√	✓	√	√
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	√	✓	√	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	Dunadan Tamas		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.17 Demonstrates ability in general counseling skills	Peer/service user	✓ micro-counseling	✓	safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	✓
	Community health care worker/health extension worker	psychoeducation; micro- counseling	√	safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	√
	Pharmacist				
	Social worker	√	✓	safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	psychosocial education; relapse prevention counseling
	Occupational therapist				
	Clinical/health officer	ability to initiate and deliver brief psychological treatments and provide psychoeducation and microcounseling	√	in individual and group settings, counseling about safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	√

Candidate	Duaridan Trinas		Condi	ition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.17 Demonstrates ability in general counseling skills	Nurse	~	√	in individual and group settings, counseling about safety (e.g., injury, prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	√
	Medical doctor/general practitioner	ability to initiate and deliver brief psychological treatments and provide psychoeducation and microcounseling		in individual and group settings, counseling and educating patients and their families interactively about safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	√
	Psychiatric nurse	ability to initiate and deliver brief psychological treatments and provide psychoeducation and microcounseling	√	✓	√

Candidate	Provider Types		Cond	ition(s)	
Core Competency	110viuei Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.17 Demonstrates ability in general counseling skills	Psychologist	ability to initiate and deliver brief psychological treatments and provide psychoeducation and microcounseling		in individual and group settings, counseling and educating patients and their families interactively about safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	✓
	Neurologist	ability to initiate and deliver brief psychological treatments and provide psychoeducation and microcounseling	✓	in individual and group settings, counseling and educating patients and their families interactively about safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	√
	Psychiatrist	ability to initiate and deliver brief psychological treatments and provide psychoeducation and microcounseling	√ ability to provide psychoeducation	in individual and group settings, counseling and educating patients and their families interactively about safety (e.g., injury prevention, pregnancy); triggers (e.g., sleep deprivation); psychosocial issues	~

G G 4	D 11 T	Condition(s)			
Core Competency	Provider Types —	Depression	Psychosis	Epilepsy	Alcohol Use
TC.18	Peer/service user	✓			✓
Demonstrates ability to	Community health	✓			✓
administer brief	care worker/health				
interventions	extension worker				
	Pharmacist				
	Social worker	✓	✓		✓
	Occupational				
	therapist				
	Clinical/health officer	✓	✓		✓
	Nurse	✓	✓		✓
	Medical	✓	✓		✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓		✓
	Psychologist	✓	✓		✓
	Neurologist	✓	✓		✓
	Psychiatrist	✓	✓		✓
TC.19	Peer/service user				
Demonstrates ability to	Community health				
select appropriate	care worker/health				
treatment based on an	extension worker				
understanding of	Pharmacist				
diagnosis	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Coro Compotonor	Duoridon Trinos	Condition(s)				
Core Competency	Provider Types -	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.20	Peer/service user	✓	√	✓	✓	
Initiates, organizes,	Community health	✓	✓	✓	✓	
and/or facilitates self-help						
or support groups	extension worker					
	Pharmacist					
	Social worker	✓	✓	✓	✓	
	Occupational	✓	✓	✓	✓	
	therapist					
	Clinical/health officer	✓	✓	✓	✓	
			includes supervision of			
			leaders			
	Nurse	✓	✓	✓	✓	
			including supervision of			
			community health workers,			
			group leaders, or peers			
	Medical	✓	✓	✓	✓	
	doctor/general		includes supervision of			
	practitioner		leaders			
	Psychiatric nurse	✓	✓	✓	✓	
			inculdes supervision of			
			leaders			
	Psychologist	✓	✓	✓	✓	
	Neurologist					
	Psychiatrist					
ΓC.21	Peer/service user					
Provides brief advice on	Community health	✓	✓	✓	✓	
symptom management	care worker/health					
	extension worker					
	Pharmacist					
	Social worker	✓	✓	✓	✓	
	Occupational					
	therapist					
	Clinical/health officer	✓	✓	✓	✓	

Candidate	Duoriden Temes		Condi	Condition(s)		
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.21	Nurse	✓	✓	✓	✓	
Provides brief advice on	Medical	✓	✓	✓	✓	
symptom management	doctor/general					
	practitioner					
	Psychiatric nurse	✓	✓	✓	✓	
	Psychologist	✓	✓	✓	✓	
	Neurologist	✓	✓	✓	✓	
	Psychiatrist	✓	✓	✓	✓	
TC.22	Peer/service user					
Demonstrates skills to	Community health	✓	✓			
provide psychosocial	care worker/health					
interventions	extension worker					
	Pharmacist					
	Social worker	✓	✓			
		e.g., behavioral activation,				
		reactivation of social				
		networks				
	Occupational	✓	✓		✓	
	therapist					
	Clinical/health officer	✓	✓		✓	
			e.g., behavioral activation,		e.g., behavioral activation,	
			reactivation of social		reactivation of social	
			networks		networks	
	Nurse	✓	✓		✓	
		e.g., behavioral activation,	e.g., behavioral activation,			
		reactivation of social	reactivation of social			
		networks	networks			
	Medical	✓	✓		✓	
	doctor/general		e.g., behavioral activation,			
	practitioner		reactivation of social			
			networks			

Candidate	D	Condition(s)				
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.22 Demonstrates skills to provide psychosocial interventions	Psychiatric nurse	√	e.g., behavioral activation, reactivation of social networks	√	\	
	Psychologist	✓	✓	✓	✓	
	Neurologist	✓	✓		✓	
	Psychiatrist	✓	✓		✓	
TC.23	Peer/service user					
Conducts relapse prevention programs	Community health care worker/health extension worker	√	√		~	
	Pharmacist					
	Social worker	✓	✓		✓	
	Occupational therapist					
	Clinical/health officer	✓	√		√	
	Nurse	✓	✓		✓	
	Medical doctor/general practitioner					
	Psychiatric nurse					
	Psychologist	✓	✓		✓	
	Neurologist					
	Psychiatrist					
TC.24	Peer/service user					
Demonstrates skills in home visitation	Community health care worker/health extension worker	✓	√	√	√	
	Pharmacist					
	Social worker	✓	✓	✓	√	
	Occupational therapist	✓	√	✓	V	
	Clinical/health officer	✓	✓	✓	√	

Candidate	D	Condition(s)			
Core Competency	Provider Types -	Depression	Psychosis	Epilepsy	Alcohol Use
TC.24	Nurse				
Demonstrates skills in	Medical				
home visitation	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				
TC.25	Peer/service user	✓	√	✓	✓
Assists with adjustments	Community health	✓	✓	✓	✓
following discharge	care worker/health				
	extension worker				
	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	√	✓	√
	Nurse	✓	✓	✓	✓
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				
TC.26	Peer/service user				
Demonstrates competence		✓	✓	✓	✓
in the delivery of	care worker/health				
evidence-based therapies	extension worker				
	Pharmacist				
	Social worker	✓	✓		✓
	Occupational				
	therapist				

Candidate	D 11 T	Condition(s)				
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.26 Demonstrates competence	Clinical/health officer	√	√	√	√	
in the delivery of	Nurse					
evidence-based therapies	Medical doctor/general practitioner			√		
	Psychiatric nurse					
	Psychologist	✓	✓	✓	✓	
	Neurologist			✓		
	Psychiatrist	✓	✓	✓	✓	
TC.27 Advises patients and families on taking medications properly	Peer/service user Community health care worker/health extension worker					
	Pharmacist	✓	✓	✓	✓	
	Social worker	√	identify psychosocial needs; provide appropriate forms of psychosocial interventions	✓	√	
	Occupational therapist					
	Clinical/health officer	√	✓	√	√	
	Nurse	✓	✓	✓	✓	
	Medical doctor/general practitioner	√	√	√	~	
	Psychiatric nurse	✓	✓	✓	✓	
	Psychologist					
	Neurologist	✓	✓	✓	✓	
	Psychiatrist	✓	✓	✓	✓	

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.28	Peer/service user				
Demonstrates knowledge	Community health				
of and ability to apply	care worker/health				
relevant legislation and	extension worker				
policies and access to	Pharmacist				
appropriate services	Social worker	✓	✓	✓	✓
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	√	√	√	✓
	Medical	✓	√	√	√
	doctor/general		,		
	practitioner				
	Psychiatric nurse	✓	√	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	√	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.29	Peer/service user				
Demonstrates knowledge	Community health				
of drug interactions	care worker/health				
	extension worker				
	Pharmacist	✓	✓	✓	✓
	Social worker	✓	✓	✓	✓
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	√	✓	✓	✓
	Medical	<u> </u>	√	√	√
	doctor/general		•	v	•
	practitioner				
	Psychiatric nurse	<u> </u>	✓	✓	✓
	Psychologist Psychologist	·	·	,	
	Neurologist	✓	✓	✓	✓
	Psychiatrist		<u> </u>	√	√
	1 Sycillatiist	•			

Candidate	ъ н п		Cond	ition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.30	Peer/service user				
Provides appropriate	Community health	✓	✓	✓	✓
forms of therapy (e.g.,	care worker/health				
individual group, family,	extension worker				
marital)	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational				
	therapist				
	Clinical/health officer	✓	√	√	√
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓	✓	✓
	Neurologist				
	Psychiatrist				
TC.31	Peer/service user				
	Community health	✓	✓	✓	✓
of community-based	care worker/health				
rehabilitation approaches	extension worker				
	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer	✓	√	√	√
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.32	Peer/service user				
Educates patients about	Community health				
side effects,	care worker/health				
contraindications, etc.	extension worker				
	Pharmacist	✓	✓	✓	✓
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	√	✓	✓
	Medical	✓	√	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	√	✓	✓
	Psychologist				
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.33	Peer/service user				
Demonstrates skills to	Community health				
provide long-term support					
and/or care	extension worker				
	Pharmacist				
	Social worker				
	Occupational	✓	√	✓	✓
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	√	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general		includes supervising long-		
	practitioner		term care		
	Psychiatric nurse	✓	√	✓	✓
	Psychologist	✓			✓
	Neurologist				
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 T		Con	dition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.34	Peer/service user				
Reports information to	Community health				
relevant health	care worker/health				
management systems	extension worker				
	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	✓	√
	therapist				
	Clinical/health officer	√	√	√	√
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.35	Peer/service user				
Demonstrates knowledge	Community health				
and skills to dispense	care worker/health				
medications	extension worker				
	Pharmacist	✓	✓	✓	✓
				refrains from over-the-	includes dispensing
				counter dispensing	emergency treatments for
					withdrawal
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	1				

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.35	Psychiatric nurse				
Demonstrates knowledge	Psychologist				
and skills to dispense	Neurologist	✓	✓	✓	✓
medications	Psychiatrist	✓	✓	✓	✓
TC.36	Peer/service user				
Assists patients with	Community health	✓	✓	✓	✓
access to other providers	care worker/health				
and help coordinate	extension worker				
efforts	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.37	Peer/service user				
Provides advice on	Community health	✓	✓	✓	✓
symptom management	care worker/health				
	extension worker				
	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.37	Medical	✓	✓	✓	✓
Provides advice on	doctor/general				
symptom management	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	√	✓
	Neurologist			√	
	Psychiatrist	✓	✓	√	✓
TC.38	Peer/service user				
Documents medical	Community health				
records	care worker/health				
	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	√	✓	√
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	√	✓
	Psychologist	✓	✓	√	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	√	✓
TC.39	Peer/service user				
Demonstrates knowledge	Community health				
and skills to consult with	care worker/health				
other providers in the treatment/care team	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	√	✓

Candidate	D	Condition(s)			
Core Competency	Provider Types —	Depression	Psychosis	Epilepsy	Alcohol Use
CC.39	Nurse	✓	✓	✓	✓
emonstrates knowledge	Medical	✓	✓	✓	✓
	doctor/general				
ther providers in the	practitioner				
eatment/care team	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
C.40	Peer/service user				
emonstrates knowledge	Community health				
nd skills to provide	care worker/health				
roactive follow-up and	extension worker				
nonitors outcomes of	Pharmacist				
are	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	√	√	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
C.41	Peer/service user				
emonstrates knowledge	Community health				
f standard drug regimens					
	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				

Candidate	D		Condi	tion(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.41	Clinical/health officer	✓	✓	✓	✓
Demonstrates knowledge					
of standard drug regimens	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.42	Peer/service user				
Provides mentoring and	Community health				
support to other health	care worker/health				
care providers	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	✓
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	Provider Types		Condi	tion(s)	
Core Competency		Depression	Psychosis	Epilepsy	Alcohol Use
TC.43	Peer/service user				
Demonstrates knowledge	Community health				
and skills to prescribe,	care worker/health				
monitor, and adjust	extension worker				
medication per patient	Pharmacist				
response and in	Social worker				
consultation with other	Occupational				
providers	therapist				
	Clinical/health officer	✓	✓	✓	✓
	Nurse	✓	✓	✓	√
		includes administering	includes administering	e.g., use of seizure diary as	includes administering
		medications	medications and taking into	aid for monitoring	medications
			account complexity of		
			condition and needs for		
			further referral for different medications		
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓		√
			includes taking into		
			account complexity of condition and need for		
			further referral for different		
			medications		
			inedications		
	Psychologist				
	Neurologist	√	√	√	√
	Psychiatrist	✓	✓	✓	✓

Candidate	D	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.44	Peer/service user	✓	✓	✓	✓
Demonstrates ability to	Community health	✓	✓	✓	✓
offer work, social, and	care worker/health				
	extension worker				
welcoming atmosphere	Pharmacist				
	Social worker	✓	✓	✓	✓
	Occupational	✓	✓	√	✓
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				
TC.45	Peer/service user				
Demonstrates skills to	Community health				
provide structured clinical					
interventions	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	√	✓		✓
	Nurse	✓	✓		✓
	Medical	✓	✓		✓
	doctor/general				
	practitioner				

Candidate	Dunaidou Tamas	Condition(s)				
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.45	Psychiatric nurse	✓	√		✓	
Demonstrates skills to	Psychologist					
provide structured clinical	Neurologist					
interventions	Psychiatrist	✓	✓		✓	
			structured psychological			
			interventions			
TC.46	Peer/service user					
Manages acute	Community health					
hospitalization of patients						
with severe conditions	extension worker					
pending review/transfer to	Pharmacist					
specialist	Social worker					
	Occupational					
	therapist					
	Clinical/health officer	✓	✓	✓	✓	
	Nurse					
	Medical	✓	✓	✓	✓	
	doctor/general					
	practitioner					
	Psychiatric nurse	✓	√		✓	
	Psychologist	✓	✓		✓	
	Neurologist	✓	✓	✓	✓	
	Psychiatrist	✓	✓	✓	✓	
TC.47	Peer/service user					
Demonstrates knowledge	Community health					
and skills to treat	care worker/health					
comorbidities according	extension worker					
to level of training	Pharmacist					
	Social worker					
	Occupational					
	therapist					
	Clinical/health officer	✓	✓	✓	✓	
	Nurse	✓	✓	✓	✓	

Candidate	Durani dan Tamas	Condition(s)			
Core Competency	Provider Types —	Depression	Psychosis	Epilepsy	Alcohol Use
TC.47	Medical	✓	✓	✓	✓
Demonstrates knowledge	doctor/general				
and skills to treat	practitioner				
comorbidities according	Psychiatric nurse	✓	✓	✓	✓
to level of training	Psychologist				
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.48	Peer/service user				
Provides team members	Community health				
with skills in assessment,	care worker/health				
treatment, and follow-up	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	√	√	✓	✓
	Nurse				
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓	✓	✓
	Neurologist			✓	
	Psychiatrist	✓	✓	✓	✓
TC.49	Peer/service user				
Screens for adverse	Community health				
events and allergies	care worker/health				
	extension worker				
	Pharmacist	✓	✓	✓	✓
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	✓	✓	✓	✓

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types —	Depression	Psychosis	Epilepsy	Alcohol Use
TC.49	Nurse	✓	✓	✓	✓
Screens for adverse	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	
TC.50	Peer/service user				
	Community health				
and skills to supervise	care worker/health				
treatment and care/follow-					
up care by other providers	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer	√	√	√	✓
	Nurse				
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.51	Peer/service user				
Manages inpatient	Community health				
treatment and care	care worker/health				
	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				

Candidate	D 1		Cond	lition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.51	Clinical/health officer	✓	✓	✓	✓
Manages inpatient					
treatment and care	Nurse				
	Medical	✓	✓	✓	✓
	doctor/general				
	practitioner				
	Psychiatric nurse	✓	✓	✓	✓
	Psychologist	✓	✓	✓	✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.52	Peer/service user			✓	
Provides follow-up and	Community health			✓	
referral for patients with	care worker/health				
active epilepsy;	extension worker				
recognizes status	Pharmacist				
epilepticus and referral as	Social worker			✓	
an emergency	Occupational			✓	
	therapist				
	Clinical/health officer			✓	
	Nurse				
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	

Candidate	D 11 T		Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.53	Peer/service user					
Demonstrates mental	Community health	✓				
	care worker/health					
prevent depression	extension worker					
	Pharmacist					
	Social worker					
	Occupational					
	therapist					
	Clinical/health officer	✓				
	Nurse	✓				
	Medical	✓				
	doctor/general					
	practitioner					
	Psychiatric nurse	✓				
	Psychologist	✓				
	Neurologist	✓				
	Psychiatrist	✓				
TC.54	Peer/service user					
Demonstrates knowledge	Community health					
and skills to provide	care worker/health					
medication management	extension worker					
for complex cases,	Pharmacist					
including second- and	Social worker					
third-line medications and	Occupational					
mood stabilizers	therapist					
	Clinical/health officer					
	Nurse					
	Medical			✓		
	doctor/general					
	practitioner					
	Psychiatric nurse	✓		√		
	Psychologist					
	Neurologist	✓				
	Psychiatrist	✓	✓	✓	✓	

Candidate	D 11 T		Cond	ition(s)	
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.55	Peer/service user				
Supervises complex	Community health				
regimens requiring more	care worker/health				
than one drug	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist	✓	✓	✓	✓
-	Psychiatrist	✓	✓	✓	✓
TC.56	Peer/service user				
Administers long-term	Community health				
interventions	care worker/health				
	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓		✓
	Neurologist			✓	
	Psychiatrist	✓	✓		✓

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.57	Peer/service user				
Demonstrates knowledge	Community health				
and skills to provide	care worker/health				
structured psychosocial	extension worker				
interventions, individual	Pharmacist				
and group (e.g.,	Social worker				
interpersonal	Occupational				
psychotherapy, cognitive	therapist				
behavioral therapy (CBT), problem solving therapy	Clinical/health officer				
(PST))	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓		✓
	Neurologist				
	Psychiatrist	✓	✓		✓
TC.58	Peer/service user				
Defines and initiates a	Community health				
treatment plan	care worker/health				
	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer			✓	
	Nurse				
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓		✓
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.59	Peer/service user				
Demonstrates knowledge	Community health				
and skills to apply various	care worker/health				
modalities of	extension worker				
psychotherapy to treat	Pharmacist				
patients	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist	✓	✓	✓	✓
	Neurologist				
	Psychiatrist	✓	✓	✓	✓
TC.60	Peer/service user				
Recognizes when to	Community health				
consult prescriber about	care worker/health				
appropriateness of	extension worker				
prescription (e.g., wrong	Pharmacist	✓	✓	✓	✓
dose, critical drug	Social worker				
interaction)	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				

Candidate	- · · ·	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.61	Peer/service user				
Develops and administers	Community health				
a rehabilitation plan in	care worker/health				
consultation with primary	extension worker				
care provider	Pharmacist				
	Social worker				
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				
TC.62	Peer/service user				
Demonstrates skills to	Community health				
monitor and assist in	care worker/health				
rehabilitation	extension worker				
	Pharmacist				
	Social worker				
	Occupational	✓	✓	✓	✓
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.63	Peer/service user				
Provides supervision of	Community health				
complex cases, including	care worker/health				
those with neurological	extension worker				
comorbidities	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓
TC.64	Peer/service user				
Manages status	Community health				
epilepticus	care worker/health				
	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer			✓	
	Nurse			✓	
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	

Candidate	D 11 W	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.65	Peer/service user				
Demonstrates knowledge	Community health				
and skills to treat serious	care worker/health				
neurological disorders	extension worker				
that may present with	Pharmacist				
seizures or epilepsy (e.g.,	Social worker				
CNS infection, stroke,	Occupational				
tumor)	therapist				
	Clinical/health officer				
	Nurse				
	Medical			✓	
	doctor/general				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	
TC.66	Peer/service user				
Administers modified	Community health				
electroconvulsive therapy	care worker/health				
(ECT)	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse			✓	
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.67	Peer/service user				
	Community health				
of drug dosing for	care worker/health				
children and adults,	extension worker				
titration (both first-line	Pharmacist			✓	
drugs and adjuncts)	Social worker				
	Occupational				
	therapist				
	Clinical/health officer			√	
	Nurse			✓	
	Medical			✓	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	
TC.68	Peer/service user				
	Community health				
	care worker/health				
cases complicated by	extension worker				
infectious and	Pharmacist				
noncommunicable	Social worker				
diseases (e.g., HIV/AIDS)	Occupational therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist	✓	✓	✓	✓
	Psychiatrist	✓	✓	✓	✓

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.69	Peer/service user				
Demonstrates knowledge	Community health				
and skills to provide a full	care worker/health				
range of psychological	extension worker				
therapies	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse	/			/
	Psychologist	√	✓		✓
	Neurologist				
	Psychiatrist				
TC.70	Peer/service user				
Demonstrates knowledge	Community health				
of when to initiate	care worker/health				
treatment if a comorbid	extension worker				
neurological condition exists	Pharmacist				
exists	Social worker				
	Occupational therapist				
	Clinical/health officer			✓	
	Nurse				
	Medical			√	
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist	✓	✓	✓	
	Psychiatrist				

Candidate	D 11 T	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.71	Peer/service user				
Demonstrates knowledge	Community health				
and skills for the selection	care worker/health				
of patients for surgical	extension worker				
management	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist			√	
	Neurologist			· · · · · · · · · · · · · · · · · · ·	
	Psychiatrist				
TC.72	Peer/service user				
Demonstrates skills to	Community health				
provide social	care worker/health				
	extension worker				
social problems that led to/are maintaining	Pharmacist				
depression	Social worker	✓			
depression	Occupational therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist				
	Psychiatrist				

Candidate	-	Condition(s)			
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use
TC.73	Peer/service user				
Demonstrates knowledge	Community health				
and skills to manage	care worker/health				
refractory epilepsy	extension worker				
	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist				
TC.74	Peer/service user				
Demonstrates knowledge	Community health				
and skills in management	care worker/health				
of psychiatric	extension worker				
comorbidities	Pharmacist				
	Social worker				
	Occupational				
	therapist				
	Clinical/health officer				
	Nurse				
	Medical				
	doctor/general				
	practitioner				
	Psychiatric nurse				
	Psychologist				
	Neurologist			✓	
	Psychiatrist			✓	

Candidate	D 11 //	Condition(s)				
Core Competency	Provider Types	Depression	Psychosis	Epilepsy	Alcohol Use	
TC.75	Peer/service user					
Demonstrates knowledge	Community health					
and skills in management	care worker/health					
of pseudoseizures	extension worker					
	Pharmacist					
	Social worker					
	Occupational					
	therapist					
	Clinical/health officer					
	Nurse					
	Medical			✓		
	doctor/general					
	practitioner					
	Psychiatric nurse					
	Psychologist					
	Neurologist			✓		
	Psychiatrist			✓		